

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	"686420".ap.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 08:36
S2	6	shamarao-p\$.in. and integrated\$.as.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/30 16:35
S3	0	(receiver and timing).ti. and integrated\$.as.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/30 16:34
S4	4	(receiver).ti. and integrated\$.as.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/30 16:34
S5	7	shamarao-p\$.in.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/30 16:35
S6	0	"10686420".app.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 08:36
S7	687061	(data transmission signal) near3 (path line bus channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/31 14:20
S8	4695636	tim\$3 control\$4 generat\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 14:21
S9	486520	S7 same S8	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 14:21
S10	147322	S9 same (memory sram dram ram)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 14:25
S11	44989	S10 and g06f\$	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 14:25
S12	698723	((first second) near3 (control signal))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/31 14:26

S13	17362	S10 same S12	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/31 14:27
S14	1956	S13 same (frequency rate)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/31 14:27
S15	305	S14 same delay	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/31 14:27
S16	35	S15 and g06f\$	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/31 14:27
S17	35616	(skew delay) near5 (clock\$3 strob\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 15:19
S18	18155	valid adj data	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 15:19
S19	18114	set\$up near3 time	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 15:19
S20	23264	hold near3 time	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 15:19
S21	41615	pll dll	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 15:20
S22	62815	(sync\$8 near3 memory) sdram sram	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 15:20
S23	43	S17 same S18 same S22	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 15:21
S24	117	S17 same S18 same (control\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:25

S25	20	S24 and "713".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:22
S26	2	S17 same S18 same ((first second near3 (control))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:25
S27	2	S17 same S18 same ((first second dual) near3 (control))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:26
S28	16	S17 same S19 same ((first second dual) near3 (control))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:36
S29	2	("4864303" "5982309").PN. OR ("6710726").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 16:33
S30	1	("2003/0061528").URPN.	USPAT	OR	OFF	2006/01/31 16:34
S31	0	("2003/0189503").URPN.	USPAT	OR	OFF	2006/01/31 16:35
S32	121	S17 same S19 same ((first second dual) near3 (control enable (clock (strobe near2 clock))))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:36
S33	2637	S22 same ((first second dual) near3 (control enable (clock (strobe near2 clock))))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:37
S34	128	S33 same S21	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:37
S35	16	S34 and "713".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/01/31 16:37
S36	13	("5052031" "5724591" "5740087" "5961613" "6076171" "6088806" "6111442" "6118306" "6127880" "6141762" "6154095" "6243771" "6311281").PN. OR ("6845457"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 16:39
S37	776373	((first second) near3 (control\$4 signal enable clock strob\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 07:25

S38	62815	(sync\$8 near3 memory) sdram sram	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 07:26
S39	7922	(fix\$3 repair\$3) near3 (timing skew\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 07:27
S40	391264	control\$4 near2 circuit	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 11:28
S41	4477	S38 same S40	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 07:30
S42	723	S41 same S37	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 07:32
S43	100369	frequency near3 (dependent respons\$3 respond\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 07:32
S44	62	S42 same frequency	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 07:33
S45	18	("6128248").PN. OR ("6269051"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 08:01
S46	23	("4325031" "5548250" "5663687" "5990715" "6043694" "6060916" "6066969" "6069506" "6087868" "6094727" "6127866" "6137327" "6137328" "6229363" "6269051" "6316976").PN. OR ("6492852"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:25
S47	27	(timing skew) near6 contol\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:27
S48	1	S37 same S47	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:26
S49	165	S37 same contol\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:27
S50	1	S43 same S49	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:27

S51	49559	(control\$4 near2 circuit) same (timing skew)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 11:29
S52	29859	(control\$4 near2 circuit) near10 (timing skew)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 11:28
S53	3534	(control\$4 near2 circuit) same ((skew delay) near5 (clock strobe))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 11:38
S54	173	S53 and (713/400.ccls. 713/401.ccls. 713/503.ccls. 711/167.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 11:37
S55	1646	(control\$4 near2 circuit) near10 ((skew delay) near5 (clock strobe))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 11:38
S56	92	S55 and (713/400.ccls. 713/401.ccls. 713/503.ccls. 711/167.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 11:43
S57	29	(driver\$1) same ((skew delay) near6 (clock strobe)) same (receiver\$1) same (ff flip\$flop)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 11:45
S58	17	("3710282" "4086534" "4627076" "4633473" "4736394" "4964141").PN. OR ("5448591").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:22
S59	24	("4985639" "5216302" "5939912" "5939913").PN. OR ("6100733").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:38
S60	13	("4850042" "5260608" "5268937" "5412783" "5414830" "5495357" "5625563" "6031473" "6198752" "6510549" "6687780" "6704516" "6738415").PN. OR ("6880026").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:45
S61	0	("2002/0188901").URPN.	USPAT	OR	OFF	2006/02/01 12:49
S62	1	("2003/0221050").URPN.	USPAT	OR	OFF	2006/02/01 12:49
S63	3	("5793665" "5986918" "6031770").PN. OR ("6226222").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:50

S64	17	("4637018" "5463337" "5646564" "5663665" "5712883").PN. OR ("5990715").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:57
S65	11	("5822255" "5939913" "5955904").PN. OR ("6066969").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 13:02
S66	20	("5767712" "5812492" "5822255" "5835956").PN. OR ("5955904").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 13:03
S67	0	(driver adj10 receiver adj10 (ff flip\$flop)) same controller	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/01 13:05
S68	27	(driver adj10 receiver adj10 (ff flip\$flop))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/01 13:05
S69	272780	(fix\$3 alter\$3 repair\$ sync\$) near6 (timing time delay\$3 strob\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:28
S70	1353	receiver near10 (ff flip\$flop)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:07
S71	66	S69 same S70	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:08
S72	0	S71 and "365".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:08
S73	5	S71 and ("365".clas. "713".clas. "711".clas.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:18
S74	81	S70 and ("365".clas. "713".clas. "711".clas.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:26
S75	5801	(365/189.05.ccls. 365/193.ccls. 365/233.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:27
S76	260238	(fix\$3 alter\$3 repair\$ sync synchroniz\$3 match\$3) near6 (timing time delay\$3 strob\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:29

S77	1542	S75 and S76	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:29
S78	68	S70 same S76	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:30
S79	0	S78 and S75	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:30
S80	572	S70 and S76	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 14:30
S81	6	S80 and S75	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/01 16:28
S82	5813	(365/189.05.ccls. 365/193.ccls. 365/233.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 08:23
S83	1243224	(first second two many multiple) near6 (control\$1 enable\$1 signal\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 08:28
S84	413723	(match\$3 synchroniz\$5 fix\$3) near6 (tim\$3 enabl\$3 control\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 08:29
S85	172989	frequency near6 (depend\$6 respon\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 08:30
S86	898	S83 same S84 same S85	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 09:58
S87	6	S82 and S86	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 08:31
S88	5	("5930198" "6002615" "6029250" "6166989" "6229758").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/02 08:49
S89	898	(S84 same S85) and S86	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 09:59

S90	41	(S84 same S85 same (dll pll)) and S86	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 10:00
S91	35723	(latch ff flip\$flop) near3 (enable control)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 10:00
S92	4650	(recevier (sense near2 amplifier)) near3 (enable control)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 14:02
S93	264	S91 same S92	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 10:01
S94	19	S84 same S93	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 10:01
S95	3	S94 and S82	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 10:01
S96	51449	(driver recevier (sense near2 amplifier)) near3 (enable control)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:01
S97	32263	fifth near6 (control\$4 enabl\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:04
S98	194	S96 same S97	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 14:03
S99	15	S98 and S82	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 14:03
S10 0	2244	(driver recevier (sense near2 amplifier)) near3 (enable control) same (latch ff flip\$flip)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:02
S10 1	346	((recevier (sense near2 amplifier)) near3 (enable control)) same ((driver (sense near2 amplifier)) near3 (enable control)) same ((latch ff flip\$flip register) near3 (enable control))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:03

S10 2	170829	third near6 (control\$4 enabl\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:04
S10 3	11	S101 same S102	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:16
S10 4	1310	((pre\$determined near6 (threshold rate))) same S102	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:21
S10 5	5	S104 and S82	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:16
S10 6	303	((greater less\$2 faster slower higher lower) near6 (pre\$determined near6 (threshold rate))) same S102	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:22
S10 7	1	S106 and S82	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:18
S10 8	3565	((pre\$determined near6 (threshold rate))) same S84	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:21
S10 9	5	S108 and S82	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:22
S11 0	481	((greater less\$2 faster slower higher lower) near6 (pre\$determined near6 (threshold rate))) same S84	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:23
S11 1	1	S110 and S82	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:26
S11 2	19	S110 and ("365".clas. "713".clas. "711".clas.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 16:26
S11 3	4866	((second near3 (driver (sense near1 amplifier)))) same (second near3 (receiver (sense near1 amplifier)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 17:29

S11 4	5813	(365/189.05.ccls. 365/193.ccls. 365/233.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 17:17
S11 5	448	S113 and S114	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 17:17
S11 6	413723	(match\$3 synchroniz\$5 fix\$3) near6 (tim\$3 enabl\$3 control\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 17:18
S11 7	91	S113 same S116	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 17:19
S11 8	11	S117 and S114	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/02 17:29
S12 0	5813	(365/189.05.ccls. 365/193.ccls. 365/233.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:52
S12 1	413723	(match\$3 synchroniz\$5 fix\$3) near6 (tim\$3 enabl\$3 control\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:52
S12 2	769633	(driver\$1 receiver\$1 (sense near1 amplifier\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:53
S12 3	10496	minimum near3 delay	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:55
S12 4	29	S121 same S122 same S123	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:55
S12 5	1	S120 and S124	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:54
S12 6	29380	(variable alter\$3 vary\$3 minimum) near3 delay	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:55

S12 7	273	S121 same S122 same S126	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:56
S12 8	9	S120 and S127	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/03 08:56